

Product data sheet

TS 4000 IS closer body



Main body for overhead door closer with link armEN 1-6 with closing sequence control

AREAS OF APPLICATION

- Fire and smoke protection doors
- Double leaf single-action doors
- Single-action doors up to 2800 mm hinge clearance and 1400 mm leaf width

TS 4000 IS closer body



PRODUCT FEATURES

- Closing force can be variably adjusted from the front
- Visual closing force display ensures correct setting
- Closing speed can be adjusted from the front via valve
- Integrated closing sequence control
- Door closer, can be used for right and left hand doors
- Door closer, can be used for leaf and transom installation
- Minimal installation effort due to low number of individual parts and quick setting
- Flexible repositioning of the Bowden cable release mechanism in the frame, e.g. with passive leaf lockings

TECHNICAL DATA

Productname	TS 4000 IS closer body
Closing force in accordance with EN 1154	EN 1 - 6
Leaf width (max.)	1400 mm
Type of installation	Door leaf installation hinge side, Transom installation opposite hinge side
Opening angle (max.)	180 °
Identical design for DIN left and DIN right	Yes
Standard conformity	EN 1154:1996/A1:2002/AC:2006, EN 1158
Suitability for fire protection doors	Yes
Length	287 mm
Width	46 mm
Height	60 mm
Closing force adjustable	Yes, stepless
Adjustable closing speed	Yes
Latching action adjustable	Yes, via link arm
Back check integrated	No
Position of closing force adjustment	Front
Visual closing force display	Yes
Safety valve against overload	Yes
Thermo-control valves	Yes
Smoke switch integrated	No
Closing sequence control integrated	Yes

TS 4000 IS closer body



VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour	Closing force in accordance with EN 1154	Dimensions
GEZE TS 4000 IS Closer	Size EN 1-6 with integrated closing sequence control (without release mechanism and link arm)	102801	white RAL 9016	EN 1 – 6	287 x 46 x 60 mm
GEZE TS 4000 IS Closer	Size EN 1-6 with integrated closing sequence control (without release mechanism and link arm)	119563	black RAL 9005	EN 1 – 6	287 x 46 x 60 mm
GEZE TS 4000 IS Closer	Size EN 1-6 with integrated closing sequence control (without release mechanism and link arm)	102802	according to RAL	EN 1 – 6	287 x 46 x 60 mm
GEZE TS 4000 IS Closer	Size EN 1-6 with integrated closing sequence control (without release mechanism and link arm)	102799	dark bronze	EN 1 – 6	287 x 46 x 60 mm
GEZE TS 4000 IS Closer	Size EN 1-6 with integrated closing sequence control (without release mechanism and link arm)	102798	silver-coloured	EN 1 – 6	287 x 46 x 60 mm